

DAKTRONICS QUOTE # 865821-1-1

New Hampton Community School District
Cory McDonald
710 W Main St
New Hampton, IA USA 50659
Phone: (641)394-5065
Fax:
Email: c_mcdonald@new-hampton.k12.ia.us

25/Apr/2025
Quote Valid for: 30 days
Terms: Net 30 days from shipment with
Purchase Order
Subject to Credit Review
FCA: DESTINATION
Delivery: Call for Production Time

Reference: New Hampton HS - Stadium Scoreboard/Audio

Item No.	Model	Description	Qty	Price
1	FB-2023-W-PV-F	PanaView® Football/Track Scoreboard; Includes Track Captions on Changeable Panels with Rails; Scoreboard Color: _____ ; Caption Color: _____ ; Border Stripe Color: _____ Cabinet Dimensions: 8' 0" H X 25' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Max Power: 705 watts/display Weight: Unpackaged 825 lbs per display; Packaged 1290 lbs per display	1	\$31,977.00
	FB-2023 Electronic Captions (White LEDs) with Backlit Captions for TOL	8x32-34mm Electronic Captions for FB-2023 Football Scoreboard; TOL Captions are Backlit Weight: Unpackaged 210 lbs per display; Packaged 450 lbs per display	1	
	TNMC_8x48_White LED (34mm)	8x48-34mm LED Team Name Message Center; Set of 2; White LED's Digit Color: WHITE Weight: Unpackaged 120 lbs per display; Packaged 250 lbs per display	1	
	White LED Colon and Decimal Indicators for Outdoor Scoreboard	Electronic Colon and Decimal Indicators Replace Vinyl Colon and Decimal in Clock	1	
	AS-5010 Kit	All Sport® 5010 Control Console Kit	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	All Sport® Radio Antenna Extension Kit 25ft	25ft Radio Antenna Extension Kit	1	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	1	
	DAK Score App with All Sport® MX-1 Mobile Scoring Kit	DAK Score App with All Sport® MX-1 Mobile Scoring Kit and Gen VI Radio Transmitter	1	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	

DAKTRONICS QUOTE # 865821-1-1

2	DA-1001-25 with Non-Backlit Lettering and Screen Backing	Arch Truss; Alum, 4ft tall x 25ft long w/ 50% Non-Backlit Lettering/Logo & Screen Backing.	1	\$23,071.00
		Cabinet Dimensions: 4' 0" H X 25' 0" W X 0' 3" D (Approx. Dimensions)		
		Weight: Unpackaged 340 lbs per display; Packaged 755 lbs per display		
	1.44' Tall Backlit Channel Letters (HOTC)	Backlit Channel Letters to read HOME OF THE CHICKASAWS	1	
		Weight: Packaged 250 lbs per display		
	4.48' x 4.77' Backlit Logo (C)	Backlit Logo of Mascot	1	
		Weight: Packaged 250 lbs per display		
3	Outdoor Non-Backlit 3' 0" x 25' 0" Horizontal	Ad Panel, Above or Below Display	1	\$2,989.00
		Cabinet Dimensions: 3' 0" H X 25' 0" W X 0' 8" D		
		Weight: Packaged 240 lbs per display		
4	TI-2034-W/R	Outdoor PanaView® Game & Play Clock Timer; Standalone Unit; Scoreboard Color: Black (8800); Border Stripe Color: _____	2	\$7,561.00
		Cabinet Dimensions: 4' 9" H X 5' 0" W X 0' 8" D (Approx. Dimensions)		
		Digit Type: PANAVIEW		
		Digit Color: WHITE		
		Max Power: 120 watts/display		
		Weight: Unpackaged 95 lbs per display; Packaged 125 lbs per display		
	Radio Receiver	Frequency of 2.4 GHz	2	
	Angle Clamp Mounting Method (A)	For 2 Tubes	2	
5	FREIGHT	Shipping to site via Partial Load (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$2,285.00
Services				
6	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	

Total Price Excluding Applicable Tax:	\$67,883.00
--	--------------------

Please reference listed sales literature: DD1696958 for TNMC_8x48_White LED (34mm), DD2167306 for FB-2023-W-PV-F, DD2167356 for FB-2025-W-PV-F, DD3632181 for TI-2034-W/R, DD3888368 for DAK Score App with All Sport® MX-1 Mobile Scoring Kit, DD4834588 for Live Score Bug, DD5454486 for G5C5-W, SL-03991 for AS-5010 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver, SL-08028 for DA-1001-25 with Non-Backlit Lettering and Screen Backing, SL-08028 for DA-1001-32 with Non-Backlit Lettering and Screen Backing

Options

Please contact your sales representative for additional information

Live Score Bug	Device to output Score Bug from All Sport®	1	\$1,338.00
EN-1810 Case	Soft Sided Carrying Case for All Sport® 1600 Controller Kit or MX-1 Mobile Scoring Kit	1	

DAKTRONICS QUOTE # 865821-1-1

Alternate Equipment: 1

Item No.	Model	Description	Qty	Price
1	FB-2025-W-PV-F	PanaView® Football/Track Scoreboard; Includes Track Captions on Changeable Panels with Rails; Scoreboard Color: Black (8800); Caption Color: _____; Border Stripe Color: _____ Cabinet Dimensions: 8' 0" H X 32' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Max Power: 705 watts/display Weight: Unpackaged 970 lbs per display; Packaged 1358 lbs per display	1	\$35,962.00
	Electronic Caption (White LEDs) for 32' Long Scoreboards	8x32-34mm Electronic Captions for Football and Soccer Scoreboards Weight: Unpackaged 210 lbs per display; Packaged 450 lbs per display	1	
	TNMC_8x48_White LED (34mm)	8x48-34mm LED Team Name Message Center; Set of 2; White LED's Digit Color: WHITE Weight: Unpackaged 120 lbs per display; Packaged 250 lbs per display	1	
	White LED Colon and Decimal Indicators for Outdoor Scoreboard	Electronic Colon and Decimal Indicators Replace Vinyl Colon and Decimal in Clock	1	
	AS-5010 Kit	All Sport® 5010 Control Console Kit	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	All Sport® Radio Antenna Extension Kit 25ft	25ft Radio Antenna Extension Kit	1	
	DAK Score App with All Sport® MX-1 Mobile Scoring Kit	DAK Score App with All Sport® MX-1 Mobile Scoring Kit and Gen VI Radio Transmitter	1	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	1	
	I-Beam Mounting Method (B)	For 3 I-Beams	3	
2	DA-1001-32 with Non-Backlit Lettering and Screen Backing	Arch Truss; Alum, 5ft tall x 32ft long w/ 50% Non-Backlit Lettering/Logo & Screen Backing. Cabinet Dimensions: 5' 0" H X 32' 0" W X 0' 3" D (Approx. Dimensions) Weight: Unpackaged 465 lbs per display; Packaged 1130 lbs per display	1	\$31,045.00

DAKTRONICS QUOTE # 865821-1-1

	1.76' Tall Backlit Channel Letters (HOTC)	Backlit Channel Letters to read HOME OF THE CHICKASAWS Weight: Packaged 250 lbs per display	1	
	6.09' x 6.53' Backlit Logo (C)	Backlit Logo of Mascot Weight: Packaged 250 lbs per display	1	
3	Outdoor Non-Backlit 3' 0" x 32' 0" Horizontal	Ad Panel, Above or Below Display Cabinet Dimensions: 3' 0" H X 32' 0" W X 0' 8" D Weight: Packaged 308 lbs per display	1	\$3,915.00
4	TI-2034-W/R	Outdoor PanaView® Game & Play Clock Timer; Standalone Unit; Scoreboard Color: Black (8800); Border Stripe Color: _____ Cabinet Dimensions: 4' 9" H X 5' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Max Power: 120 watts/display Weight: Unpackaged 95 lbs per display; Packaged 125 lbs per display	2	\$7,561.00
	Radio Receiver	Frequency of 2.4 GHz	2	
	Angle Clamp Mounting Method (A)	For 2 Tubes	2	
5	FREIGHT	Shipping to site via Independent Carrier (flatbed trailer). Crane or telehandler required for unloading. Customer is responsible for receiving & unloading truck upon delivery.	1	\$1,215.00
Services				
6	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	

Total Price Excluding Applicable Tax:	\$79,698.00
--	--------------------

Please reference listed sales literature: DD1696958 for TNMC_8x48_White LED (34mm), DD2167306 for FB-2023-W-PV-F, DD2167356 for FB-2025-W-PV-F, DD3632181 for TI-2034-W/R, DD3888368 for DAK Score App with All Sport® MX-1 Mobile Scoring Kit, DD4834588 for Live Score Bug, DD5454486 for G5C5-W, SL-03991 for AS-5010 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver, SL-08028 for DA-1001-25 with Non-Backlit Lettering and Screen Backing, SL-08028 for DA-1001-32 with Non-Backlit Lettering and Screen Backing

Options

Please contact your sales representative for additional information

Live Score Bug	Device to output Score Bug from All Sport®	1	\$1,338.00
EN-1810 Case	Soft Sided Carrying Case for All Sport® 1600 Controller Kit or MX-1 Mobile Scoring Kit	1	
Angle Clamp Mounting Method (B)	For 3 Tubes	3	

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

Payments based on 5 year/annual payment in advance structure. **Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.

Notes: Due to the current uncertainty regarding the status of tariffs, prices exclude tariffs imposed after April 1, 2025. In the event Daktronics' total cost for equipment, materials, or components required to perform the work increases due, directly or indirectly, to tariffs that are implemented after April 1, 2025, Daktronics reserves the right to an equitable adjustment to the purchase price.

Exclusions:

- Electrical Installation
- Structure
- Power
- Engineering Certification
- Labor to Pull Signal Cable
- Taxes
- Front End Equipment

- Physical/Mechanical Installation
- Foundation
- Hoist
- Signal Conduit
- Applicable Permits
- Electrical Switch Gear or Distribution Equipment

Unless expressly stated otherwise in this Quote # 865821-1 Rev 1 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

Brett Lyon
PHONE:
FAX: 605-697-4700
EMAIL: Brett.Lyon@daktronics.com

Evan Miller
PHONE: 605-692-0200 Ext.56847
FAX:
EMAIL: Evan.Miller@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 3, Parts Coverage, No Daktronics Labor Coverage (www.daktronics.com/DD5454486)

NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.
Please request order documents to submit your order.