

## 8120 Jennings Dr. Ste. 13G Cedar Falls, IA 50613 319-226-5348 www.SystemServicesLC.com

Fire Alarms – Security Systems – Intercoms Security Cameras – Nurse Call – Clocks Personal Emergency Reporting Systems

## **Prepared For**

New Hampton Community Schools

New Hampton, IA

Intercom/Door Release

Rep: Wayne Lafrenz Phone: 319-226-5348 Cell: 319-529-6657 email: wayne@systemserviceslc.com

Security/Alarm Proposal We appreciate your consideration and look forward to providing you with the best solutions in alarms and security.

Quantity	Description	Unit Price		Total
1	AiPhone Color Monitor Intercom Station with Camera, Indoor Station, Outdoor Station, Desk Stand	\$699.00	ea.	\$699.00
1	AiPhone Color Monitor Intercom Station with Camera, Second Indoor Station	\$281.00	ea.	\$281.00
1	AiPhone Door Release Relay	\$17.00	ea.	\$17.00
150	Feet of AiPhone Intercom Wire	\$0.49	ea.	\$73.50
1	Misc Connectors	\$25.00	ea.	\$25.00
0		\$0.00	ea.	\$0.00
1	1200LB Door Magnetic Lock	\$275.00	ea.	\$275.00
1	Door Mag Lock Power Supply	\$75.00	ea.	\$75.00
1	Request to Exit Door Release Button	\$52.00	ea.	\$52.00
1	Egress PIR Motion Detector Door Release	\$182.00	ea.	\$182.00
150	Feet of Mag Lock Wire	\$0.49	ea.	\$73.50
1	Misc Connectors	\$25.00	ea.	\$25.00
0		\$0.00	ea.	\$0.00
0		\$0.00	ea.	\$0.00
0		\$0.00	ea.	\$0.00
0		\$0.00	ea.	\$0.00
0		\$0.00	ea.	\$0.00
6	Hours Labor	\$60.00	ea.	\$360.00

Equip. Total

\$2,138.00

\$0.00 \$0.00 \$0.00 \$0.00 \$0.00

\$2,138.00

\$2,158.00

\$20

OPTIONAL

0	\$0.00	ea.	
0	\$0.00	ea.	

Remarks/Terms:	Extended Total
	Sales/Use Tax
	Shipping Handling
	Total
Monitoring is \$15.00/month (optional)	
Networking is available upon request and may result in additional charges.	

Terms are NET30 unless otherwise arranged. This quote may be withdrawn by System Services if not accepted within 30 days. Availability quoted is subject to prior sales. All returns subject to restock fee.

Accepted By:	Quotation Prepared By:
Authorized Signature:	Name: Wayne Lafrenz
Date:	Date : 01/10/2013

exempt

7.00%